



SDS #: 420.5

Revision Date: March 25, 2014

Isopropyl Alcohol 40-90% Safety Data Sheet (SDS)

SECTION 1 — CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Isopropyl Alcohol 40-90%

Signal Word
DANGER

Flinn Scientific, Inc. P.O. Box 219, Batavia, IL 60510 (800) 452-1261

Chemtrec Emergency Phone Number: (800) 424-9887

Pictograms

SECTION 2 — HAZARDS IDENTIFICATION

Hazard class: Flammable liquids (Category 2). Highly flammable liquid and vapor (H225). Keep away from heat, sparks, open flames, and hot surfaces. No smoking (P210).



Hazard class: Skin corrosion or irritation (Category 3). Causes mild skin irritation (H316).



Hazard class: Serious eye damage or irritation (Category 2A). Causes serious eye irritation (H319).

Hazard class: Specific target organ toxicity, single exposure; Narcotic effects (Category 3). May cause drowsiness or dizziness (H336). Avoid breathing vapors or spray (P261).

The single lethal dose for a human adult is about 400 mL, although as little as 150 mL can be fatal. Although isopropyl alcohol is slightly toxic by definition, teachers should be alert to students attempting to drink this "alcohol" on a dare.

SECTION 3 — COMPOSITION, INFORMATION ON INGREDIENTS

Component Name	CAS Number	Formula	Formula Weight	Concentration
Isopropyl alcohol	67-63-0	C ₃ H ₈ O	60.10	40-90%
Water	7732-18-5	H ₂ O	18.00	10-60%

SECTION 4 — FIRST AID MEASURES

Call a POISON CENTER or physician if you feel unwell (P312).

If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing (P304+P340). **If in eyes:** Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so. Continue rinsing (P305+P351+P338). **If eye irritation persists eyes:** Get medical advice or attention (P337+P313). **If on skin or hair:** Immediately remove all contaminated clothing. Rinse skin with water (P303+P361+P353). **If skin irritation occurs:** Get medical advice or attention (P332+P313). **If swallowed:** Rinse mouth. Call a POISON CENTER or physician if you feel unwell.

SECTION 5 — FIRE FIGHTING MEASURES

Flammable liquid.

NFPA Code

Flash point: 18 °C for 50-90%, Flash point: 21 °C for 40%.

None established

When heated to decomposition, may emit toxic fumes.

In case of fire: Use a tri-class dry chemical fire extinguisher (P370+P378).

SECTION 6 — ACCIDENTAL RELEASE MEASURES

Remove all ignition sources and ventilate area. Contain the spill with sand or other inert absorbent material and deposit in a sealed bag or container. See Sections 8 and 13 for further information.

SECTION 7 — HANDLING AND STORAGE

Flinn Suggested Chemical Storage Pattern: Organic #2. Store with alcohols, glycols, amines and amides. Store in a dedicated flammables cabinet. If a flammables cabinet is not available, store in Flinn Saf-Stor™ can. Keep container tightly closed (P233). Keep cool (P235). Use only in a hood or well-ventilated area (P271).

SECTION 8 — EXPOSURE CONTROLS, PERSONAL PROTECTION

Wear protective gloves, protective clothing, and eye protection (P280). Wash hands thoroughly after handling (P264). Use only in a hood or well-ventilated area (P271).

Exposure guidelines: (as isopropyl alcohol) PEL 980 mg/m³ (OSHA); TLV 492 mg/m³ Ceiling 984 mg/m³ (ACGIH)

SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

Clear, colorless liquid. Distinctive odor like rubbing alcohol. Boiling point: 83 °C (70%)
Specific gravity: 0.87 (70%)

Soluble: Water, alcohol, and ether

SECTION 10 — STABILITY AND REACTIVITY

Avoid contact with strong oxidizers, acetaldehyde, chlorine, ethylene oxide, acids, and isocyanates.

Shelf life: Fair.

SECTION 11 — TOXICOLOGICAL INFORMATION

Acute effects: Serious eye irritant, mild skin irritant, dizziness, drowsiness, nausea, headache.	ORL-RAT LD ₅₀ : 5045 mg/kg as isopropyl alcohol
Chronic effects: N.A.	IHL-RAT LC ₅₀ : 16,000 ppm/8H as isopropyl alcohol
Target organs: Eyes, skin, respiratory system.	SKN-RBT LD ₅₀ : 12800 mg/kg as isopropyl alcohol

SECTION 12 — ECOLOGICAL INFORMATION

Data not yet available.

SECTION 13 — DISPOSAL CONSIDERATIONS

Please review all federal, state and local regulations that may apply before proceeding.

Flinn Suggested Disposal Method #18a is one option.

SECTION 14 — TRANSPORT INFORMATION

Shipping name: Not regulated. Hazard class: N/A. UN number: N/A.

SECTION 15 — REGULATORY INFORMATION

TSCA-listed, EINECS-listed (200-661-7), RCRA code D001.

SECTION 16 — OTHER INFORMATION

This Safety Data Sheet (SDS) is for guidance and is based upon information and tests believed to be reliable. Flinn Scientific, Inc. makes no guarantee of the accuracy or completeness of the data and shall not be liable for any damages relating thereto. The data is offered solely for your consideration, investigation, and verification. The data should not be confused with local, state, federal or insurance mandates, regulations, or requirements and CONSTITUTE NO WARRANTY. Any use of this data and information must be determined by the science instructor to be in accordance with applicable local, state or federal laws and regulations. The conditions or methods of handling, storage, use and disposal of the product(s) described are beyond the control of Flinn Scientific, Inc. and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE,

USE OR DISPOSAL OF THIS PRODUCT(S).

N.A. = Not available, not all health aspects of this substance have been fully investigated.

N/A = Not applicable

Consult your copy of the Flinn Science Catalog/Reference Manual for additional information about laboratory chemicals.

Revision Date: March 25, 2014
