

SAFETY DATA SHEET

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: McKesson Hydrogen Peroxide, 3%
MFR #: 23-A0013, 23-D0012, 23-F0010

DISTRIBUTED BY: McKesson Medical-Surgical Inc.
 9954 Mayland Drive, Suite 4000
 Richmond, Virginia 23233

INFORMATION LINE: 1-800-777-4908
 Monday – Friday 8:00 a.m. – 6:00 p.m. EST

EMERGENCY PHONE: 1-800-451-8346 (3E Company)
 Day or night

PRODUCT DESCRIPTION: McKesson Hydrogen Peroxide, 3%

SECTION 2: HAZARDS IDENTIFICATION

ROUTES OF ENTRY: N/A

POTENTIAL HEALTH EFFECTS:

EYES: Eye Dam. 1;H318 Causes serious eye damage.

SKIN: Skin Corr. 1B;H314 Causes severe skin burns and eye damage.

INGESTION: N/A

INHALATION: N/A

ACUTE HEALTH HAZARDS: N/A

CHRONIC HEALTH HAZARDS: N/A

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: N/A

CARCINOGENICITY

OSHA: TWA 1 ppm (1.4mg/m3)

ACGIH: TWA: 1ppm

NTP: N/A

IARC: N/A

OTHER: NIOSH: TWA 1ppm (1.4mg/m3)

SECTION 2 NOTES:

CAS No.	Ingredient	Source	Value
0007722-84-1	Hydrogen peroxide	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No;

Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.
001 - Hydrogen Peroxide 3% USP



H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

[Prevention]:

P260 Do not breathe mist / vapors / spray.

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

[Response]:

P301+330+331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Stay at rest.

P303+361+353 IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower.

P304+340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+351+338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P310 Immediately call a POISON CENTER or doctor / physician.

P363 Wash contaminated clothing before reuse.

[Storage]:

P405 Store locked up.

[Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

SECTION 3: COMPOSITION/INFORMATION OF INGREDIENTS

INGREDIENT	CAS NO.	%	Exposure Limits
------------	---------	---	-----------------

SECTION 3 NOTES:

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Hydrogen peroxide CAS Number: 0007722-84-1	1.0 - 10	Ox. Liq. 1;H271 Acute Tox. 4;H332 Acute Tox. 4;H302 Skin Corr. 1A;H314	[1][2]

Substance classified with a health or environmental hazard.

Substance with a workplace exposure limit.

PBT-substance or vPVP-substance.

*The full text of the phrases are shown in Section 16.

SECTION 4: FIRST-AID MEASURES

EYES: Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.

SKIN: Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.

INGESTION: If swallowed do NOT induce vomiting and obtain immediate medical attention.

INHALATION: Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration.

If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth.

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS: N/A

SECTION 4 NOTES: In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Overview	Inhalation of vapors and mists irritate the nose and throat. Minimally irritating to the eyes and mildly irritating to the skin. See section 2 for further details.
Eyes	Causes serious eye damage.
Skin	Causes severe skin burns and eye damage.

SECTION 5: FIRE-FIGHTING MEASURES

FLAMMABLE LIMITS IN AIR, UPPER: N/A
(% BY VOLUME) LOWER: N/A

FLASH POINT: N/A
METHOD USED: N/A

AUTOIGNITION TEMPERATURE: N/A

NFPA HAZARD CLASSIFICATION

HEALTH:	N/A	FLAMMABILITY:	N/A	REACTIVITY:	N/A	OTHER:	N/A
----------------	-----	----------------------	-----	--------------------	-----	---------------	-----

HMIS HAZARD CLASSIFICATION

HEALTH:	N/A	FLAMMABILITY:	N/A	REACTIVITY:	N/A	PERSONAL:	N/A
----------------	-----	----------------------	-----	--------------------	-----	------------------	-----

EXTINGUISHING MEDIA: Recommended extinguishing media: flood with water spray or water fog.

SPECIAL FIRE FIGHTING PROCEDURES: Do not breathe mist/vapors/spray.

UNUSUAL FIRE AND EXPLOSION HAZARDS: N/A

HAZARDOUS DECOMPOSITION PRODUCTS: Oxygen which supports combustion.

SECTION 5 NOTES: Firefighters should wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES: N/A

SECTION 6 NOTES:

Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

Environmental precautions

Biodegradable, non-hazardous to environment.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing before reuse.

Methods and material for containment and cleaning up.

Flush with water: wear rubber boots, rubber apron and goggles.

SECTION 7: HANDLING AND STORAGE

HANDLING: See section 2 for further details. - [Prevention]:

STORAGE: Handle containers carefully to prevent damage and spillage.

Incompatible materials: Reducing agents, combustible materials.

Store in a cool, dark place. Avoid extreme heat.

See section 2 for further details. - [Storage]:

OTHER PRECAUTIONS: N/A

SECTION 7 NOTES: N/A

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: N/A

VENTILATION:

RESPIRATORY PROTECTION: If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.

EYE PROTECTION: Protective goggles if desired.

SKIN PROTECTION: Rubber or vinyl gloves.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: N/A

WORK HYGIENIC PRACTICES: Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

EXPOSURE GUIDELINES:

SECTION 8 NOTES: N/A

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE & ODOR: Clear, colorless, odorless liquid

PHYSICAL STATE: N/A

pH AS SUPPLIED: N/A

pH (Other): N/A

BOILING POINT: 212°F

MELTING POINT: N/A

FREEZING POINT: N/A

VAPOR PRESSURE (mmHg): 23

@ N/A

DENSITY (lb/gal): N/A

@ N/A

SPECIFIC GRAVITY (H₂O = 1): 1.1

@ N/A
EVAPORATION RATE: >1

BASIS (=1): N/A

SOLUBILITY IN WATER: Complete

PERCENT SOLIDS BY WEIGHT: N/A

PERCENT VOLATILE: N/A
BY WT/ N/A **BY VOL @** N/A

VOLATILE ORGANIC COMPOUNDS (VOC): N/A

WITH WATER: N/A **LBS/GAL**
WITHOUT WATER: N/A **LBS/GAL**

MOLECULAR WEIGHT: N/A

VISCOSITY: N/A

SECTION 9 NOTES:

Heavy Metals: 5 ppm maximum
 Limit of Preservative: NMT 50 mg
 Hydrogen Peroxide Assay: 2.5-3.5%

SECTION 10: STABILITY AND REACTIVITY

STABLE

UNSTABLE

STABILITY: Stable under normal conditions.

CONDITIONS TO AVOID (STABILITY): Extreme heat and combustion.

INCOMPATIBILITY (MATERIAL TO AVOID): Reducing agents, combustible materials.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: Oxygen, which supports combustion.

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID (POLYMERIZATION): N/A

SECTION 10 NOTES: N/A

SECTION 11: TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION:

Acute Toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LD50, mg/L/4hr	Inhalation Dust/Mist LD50, mg/L/4hr	Inhalation Gas LD50, ppm
Hydrogen peroxide - (7722-84-1)	801.00, Rat - <u>Category:</u> <u>4</u>	2,000.00, Rat - <u>Category:</u> 4	2.00, Rat - <u>Category:</u> <u>2</u>	No data <u>available</u>	No data <u>available</u>

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)	---	Not Applicable
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	1B	Causes severe skin burns and eye damage.
Serious eye damage/irritation	1	Causes serious eye damage.
Respiratory sensitization	---	Not Applicable
Skin sensitization	---	Not Applicable
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive toxicity	---	Not Applicable
STOT-single exposure	---	Not Applicable
STOT-repeated exposure	---	Not Applicable
Aspiration hazard	---	Not Applicable

SECTION 11 NOTES: N/A

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION:

Toxicity : No additional information provided for this product. See section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Hydrogen peroxide - (7722-84-1)	22.00, <i>Oncorhynchus mykiss</i>	2.32, <i>Daphnia magna</i>	0.71 (72 hr), <i>Microcystis pulvereus ssp. incerta</i>

Persistence and degradability

There is no data available on the preparation itself.

Bioaccumulative potential

Not Measured

Mobility in soil

No data available.

Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

Other adverse effects

No data available.

SECTION 12 NOTES: N/A

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Observe all federal, state and local regulations when disposing of this substance.

RCRA HAZARD CLASS: N/A

SECTION 13 NOTES: N/A

SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION: Not regulated.**PROPER SHIPPING NAME:** N/A**HAZARD CLASS:** N/A**DOT SHIPPING ID NUMBER:** N/A**DOT PACKING GROUP:** N/A**DOT HAZARD CLASS:** N/A**DOT LABEL STATEMENT:** N/A**WATER TRANSPORTATION****PROPER SHIPPING NAME:** N/A**HAZARD CLASS:** N/A**ID NUMBER:** N/A**PACKING GROUP:** N/A**LABEL STATEMENTS:** N/A**AIR TRANSPORTATION****PROPER SHIPPING NAME:** N/A**HAZARD CLASS:** N/A**ID NUMBER:** N/A**PACKING GROUP:** N/A**LABEL STATEMENTS:** N/A

SECTION 14 NOTES: N/A

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS**TSCA (TOXIC SUBSTANCE CONTROL ACT):** All components of this material are either listed or exempt from listing on the TSCA**CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT):** N/A**EPCRA 301 Extremely Dangerous:** Hydrogen Peroxide**SARA 311/312 HAZARD CATEGORIES:** To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.**SARA 313 REPORTABLE INGREDIENTS:** Contains NO hazardous ingredients subject to reporting requirements of Section 313 of SARA Title II.**STATE REGULATIONS:****New Jersey RTK Substances (>1%):**

Hydrogen peroxide

Pennsylvania RTK Substances (>1%):

Hydrogen peroxide

Proposition 65 - Carcinogens (>0.0%):

No chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

No chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

No chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):



SDS DATE: 10/29/15

No chemicals at levels which require reporting under this statute.

INTERNATIONAL REGULATIONS: N/A

SECTION 15 NOTES: N/A

SECTION 16: OTHER INFORMATION

OTHER INFORMATION: N/A

PREPARATION INFORMATION: N/A

DISCLAIMER: This information relates onto to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. The information and recommendations contained herein are to the best of the manufacturer's knowledge and belief accurate and reliable as of the date indicated. No representation warranty or guarantee, however, is made with regards to accuracy, reliability or completeness. Conditions of use of the material are under the control of the user; therefore, it is the user's responsibility to satisfy itself as to the suitability and completeness of such information for its own particular use. Appropriate warnings and safe-handling procedures should be provided to handlers and users.